PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 01/22753	FOR FURTHER ACTION		on of Transmittal of International xamination Report (Form PCT/IPEA/416)
International application No.	International filing date (day/mon	th/year)	Priority date (day/month/year)
PCT/US01/90720	22 November 2001 (22.11.2001)		24 November 2000 (24.11.2000)
International Patent Classification (IPC)			
IPC(7): A61K 31/685, 31/215, 31/24, 31 514/76, 77, 78, 529, 534, 558, 675, 676 307, 413, 141, 423, 613, 622 Applicant	1/19, 31/20, 31/12, 31/11, 31/075, , 693, 704, 714, 716, 723; 554/78	31/08; C07F 9, 79, 80, 81, 82	/02; C07C 59/235, 43/11 and US Cl.: ; 562/578; 560/263, 264, 252; 568/305,
VASCULAR BIOGENICS LTD.			
Examining Authority and i	ary examination report has been is transmitted to the applicant a	ccording to Ar	ticle 36.
2. This REPORT consis s of	a total of <u>S</u> sheets, including	this cover she	et.
which have been are	arted and are the basis for this	report and/or a	description, claims and/or drawings sheets containing rectifications made nistrative Instructions under the PCT).
These annexes consist of a	tot 1 of Z sheets.		
3. This report contains indica	tions relating to the following i	tems:	
I Basis of the repo	ort		
II Priority			•
III Non-establishme	ent of report with regard to nov	elty, inventive	step and industrial applicability
IV Lack of unity of	invention		
	nent under Article 35(2) with relations and explanations support		
VI Certain documer		img such states	irent
	in the international application		
	tions on the international applic	ation	
		·	
Date of submission of the demand	Date	of completion	of this report
11 June 2002 (11.06.2002)	06 Ja	шагу 2005 (06.0	01.2005)
Name and mailing address of the IPEA/U Mail Stop PCT, Atm: IPEA/US Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450 Facsimile No. (703) 305-3230 Form PCT/IPEA/409 (cover sheet)(July 19	Rosal Telep	vid Keys	272-1600

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.	
PCT/US01/90720	

I.	Basi	s of the report
1.	With	regard to the elements of the international application:*
		the international application as originally filed.
	\bowtie	the description:
		pages 1-58 as originally filed
		pages NONE , filed with the demand pages NONE , filed with the letter of
	\square	the claims:
		pages NONE, as originally filed
		pages NONE, as amended (together with any statement) under Article 19
		pages NONE , filed with the demand
		pages <u>59-65</u> , filed with the letter of <u>11 September 2003 (11.09.2003)</u>
•	∇	the drawings:
	ĽΊ	pages 1-6 , as originally filed
		pages NONE , filed with the demand
	_	pages NONE , filed with the letter of
		the sequence listing part of the description:
		pages NONE , as originally filed
		pages NONE , filed with the demand pages NONE , filed with the letter of .
2.	langı	a regard to the language, all the elements marked above were available or furnished to this Authority in the large in which the international application was filed, unless otherwise indicated under this item. e elements were available or furnished to this Authority in the following language which is:
		the language of a translation furnished for the purposes of international search (under Rule23.1(b)).
	H	the language of publication of the international application (under Rule 48.3(b)).
	H	the language of the translation furnished for the purposes of international preliminary examination (under Rules
		55.2 and/or 55.3).
3.		regard to any nucleotide and/or amino acid sequence disclosed in the international application, the national preliminary examination was carried out on the basis of the sequence listing:
	Ц	contained in the international application in printed form.
	Ц	filed together with the international application in computer readable form.
		furnished subsequently to this Authority in written form.
		furnished subsequently to this Authority in computer readable form.
		The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
		The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.
4.	\boxtimes	The amendments have resulted in the cancellation of:
		the description, pages none
		the claims, Nos. 18-22
_	ـــا	the drawings, sheets/fig none
5.		This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Symplemental Roy (Pule 70.2(a)) **
this	repo	beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).** cement sheets which have been furnished to the receiving Office in response the lightentian under Article 14 are referred to in it as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17), eplacement sheet containing such amendments must be referred to under item 1 and annexed to this report.
		VIDEA (400 / Pay IV / Univ. 1009)

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

Form PCT/IPEA/409 (Box V) (July 1998)

International application No. PCT/US01/90720

citations and explanations supporting such statement							
STATEMENT							
Novelty (N)	Claims	NONE	YE				
	Claims	8	NC				
Inventive Step (IS)	Claims	1-7, and 9-17	YE				
		8					
Industrial Applicability (IA)	Claims	1-17	YE				
mountain repriesantly (11)		NONE	N				
tims 1-17 meet the criteria set out in PCT Article the field of cardiology. NEW CITATIONS		the instant compounds and comp	ositions have pharmaceutical				
		•					
·		•					
·		•					
		•					
·	,						

WHAT IS CLAIMED IS:

1. A compound having a formula:

or pharmaceutically acceptable salts thereof, wherein:

- (i) A₁ and A₂ are each independently selected from the group consisting of CH₂ and C=O, at least one of A₁ and A₂ being CH₂;
 and
- (ii) R₁ and R₂ are each independently selected from the group consisting of an alkyl chain 1-27 carbons in length and

wherein X is a C₁₋₂₄ chain, Y is selected from the group consisting of:

Z is selected from the group consisting of:

at least one of R_1 and R_2 being said -x; and

- (iii) R₃ is selected from the group consisting of H, acyl, alkyl, phosphatidyl choline, phosphatidyl ethanolamine, phosphatidyl serine, phosphatidyl cardiolipin and phosphatidyl inisitol.
- 2. A pharmaceutical composition for prevention and/or treatment of atherosclerosis, cardiovascular disease, cerebrovascular disease, peripheral vascular disease, stenosis, restenosis and/or in-stent-stenosis in a subject in need thereof, comprising, as an active ingredient, a therapeutically effective amount of a compound selected from the group having a formula:

or pharmaceutically acceptable salts thereof, wherein:

- (i) A₁ and A₂ are independently selected from the group consisting of CH₂ and C=O, at least one of A₁ and A₂ being CH₂; and
- (ii) R₁ or R₂ are each independently selected from the group consisting of an alkyl chain 1-27 carbons in length and:

wherein X is C₁₋₂₄, Y is selected from the group consisting of:

o=c, -OII,-H, alkyl, alkoxy halogen, acetoxy and aromatic functional groups; and

Z is selected from the group consisting of:

at least one of R₁ and R₂ being said -x; and

- (iii) R₃ is selected from the group consisting of H, acyl, alkyl, phosphatidyl choline, phosphatidyl ethanolamine, phosphatidyl serine, phosphatidyl cardiolipin and phosphatidyl inositol, and a pharmaceutically acceptable carrier.
- 3. The composition of claim 2, designed for inducing tolerance to oxidized LDL via mucosal administration.
- 4. The composition of claim 2, designed for nasal, oral or intraperitoneal administration.
- 5. The composition of claim 2, wherein said compound reduces immune reactivity to oxidized LDL in said subject.
- 6. The composition of claim 2, packaged and identified for use in the prevention and/or treatment of at least one disorder selected from the group

TO SE

62

consisting of atherosclerosis, cardiovascular disease, cerebrovascular disease, peripheral vascular disease, stenosis, restenosis and/or in-stent-stenosis.

- 7. The composition of claim 2, further comprising a therapeutically effective amount of at least one additional compound selected from the group consisting of HMGCoA reductase inhibitors (statins), mucosal adjuvants, corticosteroids, anti-inflammatory compounds, analgesics, growth factors, toxins, and additional tolcrizing antigens.
- 8. A pharmaceutical composition for prevention and/or treatment of a disease, syndrome or condition selected from the group consisting of atherosclerosis, cardiovascular disease, cerebrovascular disease, peripheral vascular disease, stenosis, restenosis and/or in-stent-stenosis in a subject in need thereof, comprising, as an active ingredient, a therapeutically effective amount of a synthetic oxidized LDL derivative, or pharmaceutically acceptable salts thereof, the composition further comprising a pharmaceutically acceptable carrier.
- 9. A method of prevention and/or treatment of atherosclerosis, cardiovascular disease, cerebrovascular disease, peripheral vascular disease, stenosis, restenosis and/or in-stent-stenosis in a subject in need thereof, the method comprising administering a therapeutically effective amount of a compound, said compound selected from the group having a formula:

or pharmaccutically acceptable salts thereof, wherein:

- (i) A₁ and A₂ are CH₂ or C=O, at least one of A₁ and A₂ being CH₂;
 and
- (ii) R₁ or R₂ are each independently selected from the group consisting of an alkyl chain 1-27 carbons in length and:

wherein X is C₁₋₂₄, Y is selected from the group consisting of:

o=c, -OH,-H, alkyl, alkoxy halogen, acetoxy and aromatic functional groups; and

Z is selected from the group consisting of:

at least one of R₁ and R₂ being said -x ; and

- (iii) R₃ is selected from the group consisting of H, acyl, alkyl, phosphatidyl choline, phosphatidyl cthanolamine, phosphatidyl serine, phosphatidyl cardiolipin and phosphatidyl inisitol.
- 10. The method of claim 9, wherein said compound is administered via mucosal administration.

- 11. The method of claim 9, wherein administration of said compound is nasal, oral or intra-peritoneal administration.
- 12. The method of claim 9, wherein administration of said compound reduces immune reactivity to oxidized LDL in said subject.
- 13. The method of claim 9, wherein said compound is administered in addition to a therapeutically effective amount of at least one additional compound selected from the group consisting of HMGCoA reductase inhibitors (statins), mucosal adjuvants, corticosteroids, anti-inflammatory compounds, analgesics, growth factors, toxins, and additional tolerizing antigens.
 - 14. A method of synthesizing an oxidized phospholipid comprising:
 - (a) providing a phospholipid backbone including two fatty acid side chains, wherein at least one of said fatty acid side chains is a monounsaturated fatty acid C_{2.15}; and
 - (b) oxidizing the double bond of said mono-unsaturated fatty acid to thereby generate the oxidized phospholipid.
- 15. The method of claim 14, wherein said phospholipid backbone further includes a moiety selected from the group consisting of H, phosphatidyl choline, phosphatidyl ethanolamine, phosphatidyl serine, phosphatidyl cardiolipin and phosphatidyl inisitol.
- 16. The method of claim 14, wherein said mono unsaturated fatty acid is C_{2-15} .

17. The method of claim 14 wherein the oxidized phospholipid is POVPC, and said mono-unsaturated fatty acid is 5-hexenoic acid.